

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Provider Number	Hospital Name
390096	ST JOSEPH MEDICAL CENTER
450018	UNIVERSITY OF TEXAS MEDICAL BRANCH GAL
450068	MEMORIAL HERMANN TEXAS MEDICAL CENTER
450097	BAYSHORE MEDICAL CENTER
450184	MEMORIAL HERMANN HOSPITAL SYSTEM
450193	ST LUKES EPISCOPAL HOSPITAL
450289	HARRIS COUNTY HOSPITAL DISTRICT
450358	METHODIST HOSPITAL,THE
450424	SAN JACINTO METHODIST HOSPITAL
450591	ANGLETON-DANBURY MEDICAL CENTER
450617	CLEAR LAKE REGIONAL MEDICAL CENTER
450674	WOMANS HOSPITAL OF TEXAS,THE
450709	CHRISTUS ST JOHN HOSPITAL
670031	ST LUKE'S PATIENTS MEDICAL CENTER

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Address 1	Address 2	Address 3
2500 BERNVILLE ROAD		
301 UNIVERSITY BOULEVARD		
6411 FANNIN		
4000 SPENCER HWY		
1635 NORTH LOOP WEST		
6720 BERTNER		
2525 HOLLY HALL		
6565 FANNIN		
4401 GARTH ROAD		
132 HOSPITAL DR		
500 MEDICAL CENTER BLVD		
7600 FANNIN		
18300 ST JOHN DRIVE		
4600 EAST SAM HOUSTON PARKWAY SOUTH		

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

City	State	ZIP Code
READING	PA	19605
GALVESTON	TX	77555
HOUSTON	TX	77030
PASADENA	TX	77504
HOUSTON	TX	77008
HOUSTON	TX	77030
HOUSTON	TX	77054
HOUSTON	TX	77030
BAYTOWN	TX	77521
ANGLETON	TX	77515
WEBSTER	TX	77598
HOUSTON	TX	77054
NASSAU BAY	TX	77058
PASADENA	TX	77505

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

County Name	Phone Number
BERKS	6103782300
GALVESTON	4097721011
HARRIS	7137043700
HARRIS	7133591000
HARRIS	7134486796
HARRIS	8323551000
HARRIS	7135666417
HARRIS	7137902221
HARRIS	2814208600
BRAZORIA	9798497721
HARRIS	2813322511
HARRIS	7137901234
HARRIS	2813335503
HARRIS	2814870700

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Death from serious treatable complications after surgery

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Number of Cases Too Small

No Different than U.S. National Rate

Not Available

No Different than U.S. National Rate

No Different than U.S. National Rate

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Footnote - Death from serious treatable complications after surgery

Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases.

No data are available from the hospital for this measure.

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Collapsed lung due to medical treatment

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Footnote - Collapsed lung due to medical treatment

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Breathing failure after surgery

No Different than U.S. National Rate

Worse than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

Not Available

Worse than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

Number of Cases Too Small

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Footnote - Breathing failure after surgery

Suppressed for one or more quarters by CMS.

Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases.

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Serious blood clots after surgery

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Better than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Footnote - Serious blood clots after surgery

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

A wound that splits open after surgery

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Footnote - A wound that splits open after surgery

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Accidental cuts and tears from medical treatment

No Different than U.S. National Rate

No Different than U.S. National Rate

Better than U.S. National Rate

No Different than U.S. National Rate

Better than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Footnote - Accidental cuts and tears from medical treatment

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Serious Complications

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Better than U.S. National Rate

Worse than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Footnote - Serious Complications

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Death after surgery to repair a weakness in the abdominal aorta

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Footnote - Death after surgery to repair a weakness in the abdominal aorta

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Deaths after admission for broken hip

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Footnote - Deaths after admission for broken hip

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Deaths from Certain Conditions

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Footnote - Deaths from Certain Conditions

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Death from serious treatable complications after surgery

69

119

319

84

489

560

49

625

112

4

139

Not Available

36

36

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Rate - Death from serious treatable complications after surgery

126.25

131.85

126.48

114.17

93.93

139.14

120.39

111.95

105.57

Not Available

109.99

Not Available

135.64

124.71

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Death from serious treatable complications after surgery

85.29

95.49

101.9

76.4

72.82

118.17

75.04

91.66

68.23

Not Available

74.73

Not Available

88.95

76.04

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Death from serious treatable complications after surgery

167.21

168.21

151.06

151.94

115.04

160.11

165.74

132.24

142.91

Not Available

145.25

Not Available

182.33

173.38

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Collapsed lung due to medical treatment

6949

6034

12877

8356

34447

20136

4322

29527

8525

1310

12196

272

3261

2593

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Rate - Collapsed lung due to medical treatment	
0.28	
0.32	
0.77	
0.24	
0.34	
0.61	
0.22	
0.54	
0.35	
0.3	
0.54	
0.33	
0.32	
0.43	

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Collapsed lung due to medical treatment

0.01

0

0.52

0

0.18

0.41

0

0.36

0.06

0

0.29

0

0

0.06

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Collapsed lung due to medical treatment

0.55

0.65

1.02

0.51

0.5

0.81

0.57

0.72

0.64

0.71

0.79

0.76

0.69

0.8

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Breathing failure after surgery

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Rate - Breathing failure after surgery

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Breathing failure after surgery

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Breathing failure after surgery

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available


50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Serious blood clots after surgery	
2002	
1895	
5193	
1657	
10139	
8467	
987	
13113	
2000	
331	
3011	
251	
785	
733	

50 mile radius

Based on Agency For Healthcare Research And Quality Measures



50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Serious blood clots after surgery

0.6

3.39

5.45

2.63

3.27

8.09

4.71

3.93

0

0

2.48

0.44

2.77

4.9

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Serious blood clots after surgery

5.46

7.63

8.15

8.03

5.67

10.55

11.08

5.81

3.96

7.51

6.8

9.92

9.91

12

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - A wound that splits open after surgery	
190	
305	
559	
224	
1261	
1284	
167	
1632	
187	
34	
288	
71	
117	
126	


50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Rate - A wound that splits open after surgery	
1.26	
0.49	
0.78	
1.86	
0.9	
2.45	
0.65	
0.86	
0.55	
0.88	
2.99	
0.9	
0.65	
0.66	

50 mile radius

Based on Agency For Healthcare Research And Quality Measures



50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - A wound that splits open after surgery	
3	
2.14	
2.15	
3.55	
1.9	
3.47	
2.57	
1.72	
2.29	
3.09	
4.62	
3.15	
2.57	
2.6	

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Accidental cuts and tears from medical treatment

7443

6330

14059

8681

36045

22746

4626

31290

8840

1360

12609

272

3347

2649

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Rate - Accidental cuts and tears from medical treatment

1.98

2.8

1.2

1.27

0.82

1.6

3.56

1.99

1.95

1.43

1.18

2.16

2.31

2.04

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Accidental cuts and tears from medical treatment

0.86

1.74

0.44

0.15

0.29

1.05

2.15

1.52

0.77

0

0.26

0.45

0.8

0.47

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Accidental cuts and tears from medical treatment

3.1

3.86

1.96

2.39

1.35

2.15

4.97

2.46

3.13

3.43

2.1

3.87

3.82

3.61

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Serious Complications

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Rate - Serious Complications

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Serious Complications

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Serious Complications

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Death after surgery to repair a weakness in the abdominal aorta

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Rate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Deaths after admission for broken hip

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths after admission for broken hip

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Deaths after admission for broken hip

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Deaths after admission for broken hip

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Deaths from Certain Conditions

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths from Certain Conditions

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Deaths from Certain Conditions

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

50 mile radius

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Deaths from Certain Conditions

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available